

Trade Tips for Male Sex Workers:

SEX

Trade Tips For Male Sex Workers: SEX

FELLATIO (BLOWJOBS/ORAL SEX)

Suggest strongly to the client that he use a condom to avoid risks of STDs.

Swallow instead of spit to reduce risk of infections if you are unable to use a condom. Stomach acids will kill viruses and bacteria. Spitting increases risk by exposing gums or open oral sores.

Try not to rest any part of your face (chin, cheeks, forehead) on his balls or thighs. If he has sores, herpes, or lice, you may get them, too.

Make sure you can breathe. Breathe through your nose and don't close your eyes. To maintain control over your ability to breathe, avoid allowing clients to crouch over you or sit on top of you. To deep throat, make a straight line from your chin to your neck. Most men thrust when the cum, so make sure he's a comfortable depth in your mouth.

If staying hard is a challenge with a client, you can squeeze the base of your penis or gently massage the testicles or prostate gland to produce an erection. To fake it, try squeezing the base of your penis or using a cockring.

Poppers and other drugs may make an erection more difficult to achieve or maintain. If you are finding it hard to cum with a client, it's best to concentrate on an arousing experience or attempt to distract the client by getting him off so you can leave.

FUCKING

Use a lubricated condom and lubricate the entire genital area. If client refuses to wear one, slip it on with your mouth and swing on top of him quickly (hiding his cock in your hands) so he doesn't see it. Other tips below.

If you are getting fucked, the best position is on top, riding his cock so you can watch him and his hands. In any position, use your fingers to open your ass and insert his dick yourself to ensure he is wearing a condom and to avoid hurting you.

The closer together your thighs are, the shallower the client will be able to fuck you. Keep your hand on the base of the client's dick to reduce the depth of his thrusts and ensure that the condom doesn't slip or tear.

When he enters, exhale slowly while pushing down like you're taking a shit (you won't). His penis will go in more easily. Deeper breaths allow you to remain calm. If you're nervous, your sphincter will tighten and tear more easily. If you are fucking the client, the best position is to fuck the client from the back or 'doggie-style', but all positions require that you watch the client's hands to ensure your safety. Put the condom on yourself while inspecting the client's ass for sores, cuts, or lesions.

When fucking, try to avoid getting shit or other fluids on your hands or near your mouth. Even when using a condom, take a piss afterwards to cleanse the urethra as an added preventative measure.

RIMMING (ASSLICKING)

Avoid getting Hepatitis A or B or other infections from shit or an unclean ass. Fake licking their ass by sputting on your knuckle while lowering your head. Wash your hands after. Use local health resources to get a free hepatitis vaccination.

If you can't fake it, apply a layer of lube before using a dental dam, a cut condom, a piece of plastic wrap or latex glove. This increases the sensation and decreases your risks.

SEX WITH PISS (WATERSPORTS)

You can ALWAYS say 'NO' if you do not feel comfortable when a client requests you use piss during a session. This is also called 'Golden Showers', 'Piss Play', or 'Watersports'.

It is best to be the 'top' or pisser in any situation, giving you control. Require that the client allow you to shower afterwards. Piss stinks and can reduce your chances of attracting another client. Urine is a sterile fluid, but it can make your

Resourcing Health & EDucation in the Sex Industry

10 Inkerman Street, St Kilda VIC 3182

Phone 1800 458 752

Fax (03) 9525 4492

Visit www.sexworker.org.au



Trade Tips for Male Sex Workers:

SEX

stomach upset. You can drink it, but it might make you feel sick afterwards. Not to mention, most people do not like the taste.

SEX WITH SHIT (SCAT)

You can ALWAYS say 'NO' if you do not feel comfortable when a client requests you use shit during a session.

It's NEVER safe to get shit in your mouth (even your own shit) or near your urethra.

If you are forced or have to eat shit, seek medical advice immediately afterwards. If the client wants to eat your shit and you can do it, go ahead. However, do not let him kiss you, give you head, or lick your ass until he has cleaned up afterwards.

SCENEPLAY (BONDAGE, S&M)

You can ALWAYS say 'NO' if you do not feel comfortable when a client requests this kind of service.

It's NEVER safe to let a stranger tie you up or hit you. You should always be able to escape any situation.

Be the 'top' in any scene play, so that you are in control of the client.

TIPS FOR CONDOM USAGE

TALKING A CLIENT INTO CONDOMS

Try appealing to his safety or his sense of honor about your safety. Remind him of his status as a customer. He is paying you as an expert, so he should trust your advice.

Suggest that condoms allow your client to fuck for a longer period of time without cumming.

SNEAKING THE CONDOM ON

Use hands to stroke the client and slip the condom on while stroking. If he wants to touch his dick and doesn't know he is wearing a condom, distract his hands to your chest and nipples.

Once he cums, keep firm pressure on condom with lips and hands to prevent semen leaking into your mouth. Sneak off the condom with hand furthest away from the client and hide it in a napkin, baggie, or pocket.

ORAL SEX WITHOUT A CONDOM

Inspect the dick before putting in your mouth.

Avoid getting cum or precum in your mouth. It is best to have him cum on you than in your mouth. If he does

cum in your mouth, it is better to swallow than to spit - stomach acids kill viruses and bacteria that cause STDs.

Avoid facefucking. Try to control his moves to avoid tears or abrasions to your mouth. Try and keep contact shallow in the mouth and use your tongue on the head of the penis to make him feel like he is going deeper than he is.

If you must deep throat, don't panic. Stress and tension will tighten throat tissues and make them easier to tear. When possible, gargle with mouthwash, hard liquor or hydrogen peroxide to kill bacteria. Don't brush your teeth. Keep lips, mouth, and throat as wet as possible with water.

Resourcing Health & Education in the Sex Industry

10 Inkerman Street, St Kilda VIC 3182

Phone 1800 458 752

Fax (03) 9525 4492

Visit www.sexworker.org.au

